


SWITCHCRAFT®

A H E I C O C O M P A N Y



EN2 SERIES OVERMOLDS

NPB | 613

EN2 SERIES OVERMOLDS

NPB | 613



EN2 SERIES OVERMOLDS

Switchcraft is proud to introduce the latest overmold options for the EN2 line of products. The two new EN2 options have a rugged construction making these overmolded connectors perfect for harsh environments. Available in a straight cable-end overmold or right-angle cable-end overmold, these connectors are the perfect option for mobile equipment, such as monitoring equipment or outdoor lighting. These new connectors provide a more slim line overmold option for protection from harsh environments and excellent flex relief.

FEATURES & BENEFITS

Available in two ergonomic design styles: straight and right angle

Durable 360° flex cable strain relief

IP68 rated

Accommodate cable O.D. up to 0.276" (7mm)

Overmold material available in PVC or Santoprene®


Overmolding available in all standard EN2 Series connector styles and pin configurations

Right-angle overmold available in 3, 6, 9 and 12 o'clock cable orientations

Standard EN2 series connector specifications apply

EN2 SERIES OVERMOLDS

NPB | 613



UNITS ARE LISTED IN INCHES [mm]. ALL DIMENSIONS ARE REFERENCE ONLY.

PLEASE VISIT WWW.SWITCHCRAFT.COM FOR THE MOST UP-TO-DATE PRODUCT SPECIFICATIONS.
MADE IN USA